

**KÖSTER**

Coatings

# KÖSTER CT 215 Universal Floor

– Widely applicable coating system

Issued: 5/2021





## KÖSTER CT 215 Universal Floor System - Widely applicable coating system

- Water vapor permeable
- Highly decorative
- Easy to apply
- VOC free
- Excellent coverage
- Scratch resistant
- Resists light to medium chemical and mechanical loads
- For floor and wall surfaces
- Available in many colors (4 standard colors, others on request)


## KÖSTER CT 215 Universal Floor

Colored primer, coating and sealing system for light to medium mechanical loads in one product. Open to water vapor diffusion.

### Properties

- Water vapor permeable, therefore suitable for damp surfaces
- Can be filled with a special filler to achieve higher layer thicknesses
- High abrasion resistance
- Extremely versatile
- Tested slip resistance
- Layer thicknesses of 0.2 – 2.0 mm possible
- Decorative design with almost all colors
- Broadcast with KÖSTER Color-Chips and colored quartz sands

### System build-up (example)





## KÖSTER CT 215 Universal Floor

- KÖSTER CT 215 Universal Floor can be used as the sole coating
- It can be used with or without Color-Chips
- It can be used with or without sealant
- It can be used as a flowable coating in 1 mm layer thickness with KÖSTER Filler Fine

## Coating types

### Coatings

are an economical way to protect floors and achieve good cleanability. This can be accomplished by a layer thickness of up to 0.2 mm. **KÖSTER CT 215 Universal Floor** follows the surface structure and roughness depths are only slightly compensated. By adding **KÖSTER Anti-slip Granulate 20**, a non-slip floor is attained.




### Flowable Coatings

compensate for minor irregularities on the surface. Due to the even distribution of the material, **KÖSTER CT 215 Universal Floor** flows in so that a smooth surface is created. With the addition of the additive **KÖSTER Filler Fine**, layer thicknesses of up to 2.0 mm can be achieved.



### Decorative broadcast

and **KÖSTER Color Chips** can be used as economical sealers or to create flowable coatings in many different colors. Depending on the loading conditions, a UV-stable, non-slip, transparent sealant can be applied using **KÖSTER CT 127 1C Silane**.



## Fields of application



SALES AREAS



STORAGE FACILITIES



TRAFFICKED PATHS



PRODUCTION AREAS



BALCONIES AND TERRACES



GARAGES



## KÖSTER CT 215 Universal Floor



VOC free




Easy application



Economical

## 4 Standard colors KÖSTER CT 215 Universal Floor

Fig. not binding in color



ca. RAL 7012  
basalt grey



ca. RAL 7030  
stone grey



ca. RAL 7032  
pebble grey




ca. RAL 7035  
light grey


## Many other colors possible

The delivery colors are based on the RAL color system. The colors are produced similar to the RAL tones. Production and material deviations are possible. Backgrounds and lighting conditions can also make color tones appear different. Different shades are possible. The color and appearance change as it hardens. Preliminary tests are to be carried out. Price surcharges for other RAL colors than the standard colors on request.


## Color selection KÖSTER Color-Chips



CT 429 MF 22  
white, light grey, grey



CT 429 005 Z07  
black, grey



CT 429 005 Z17  
black, grey, blue



CT 429 005 Z19  
white, brown, beige





We are there for you – worldwide.



## // Contact us

KÖSTER BAUCHEMIE AG  
Dieselstraße 1-10  
D-26607 Aurich  
Tel.: +49 4941 9709 0  
Fax: +49 4941 9709 40  
E-Mail: info@koster.eu

[www.koster.eu](http://www.koster.eu)

Follow us on social media:



**KÖSTER**  
Waterproofing Systems



DEUTSCHE  
BAUCHEMIE

